

Product Datasheet

Biotin Anti-Mouse CD16/32 Antibody [2.4G2]

Catalogue Code: AGEL0051

Antibody Data

Product SKU: AGEL0051 Clone: 2.4G2

Applications: FCM

Reactivity: Mouse

Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

Product Information:

Alternate Names: CD16a/b;CD32;CD32A/B;Fc fragment of IgG low affinity Ila/b receptor;Fc fragment of IgG

low affinity IIIa/b receptor;Fc fragment of IgG low affinity IIIb receptor;Fc gamma receptor

III A/B;FCG2A;FcGR;FCGR2A/BFCGR3;FCGR3A/B;Fc gamma RIIa/b;

Uniprot ID: P08508 P08101

Background: CD16 is low affinity IgG Fc receptor III (FcR III) and CD32 is FcR II. CD16/CD32 are

expressed on B cells, monocytes/macrophages, NK cells, granulocytes, mast cells, and dendritic cells. The Fc receptors bind antibody-antigen immune complexes and mediate

adaptive immune responses.

Form: Liquid

Conjugation: Biotin

Size: 25µg, 100µg

Host Species: Rat

Isotype: Rat IgG2b, κ

Isotype Control: Biotin Rat IgG2b, κ Isotype Control[LTF-2] [Product AGEL0051]

Storage Buffer: Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

Shipping: Biological ice pack at 4°C



Stability & Storage: Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to

light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial

contents. This product is guaranteed up to one year from purchase.

Recommended Usage:

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is \leq 1.0 μg per 106 cells in 100 μL volume or 100 μL of whole blood. It is recommended that the reagent be titrated for optimal

performance for each application.