

Product Datasheet **PE/Cyanine5 Anti-Human CD4 Antibody** [**RPA-T4**] Catalogue Code: AGEL0403

Antibody Data

Product SKU:	AGEL0403	Clone:	RPA-T4	
Applications:	FCM			
Reactivity:	Human			

Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

Product Information:

Alternate Names:	T-cell surface glycoprotein CD4;C	D4;T-cell surface antigen T4/Leu-3;CD4;	
Uniprot ID:	P01730		
Background:	CD4, also known as T4/Leu-3, is a 55 kD single-chain type I transmembrane glycoprotein and member of the immunoglobulin superfamily. It is expressed on most thymocytes, helper T cells, type II NKT cells, and monocytes/macrophages. CD4 is part of the TCR/CD3 complex, binds to β 2 domain from the MHC class II molecule, and participates in TCR signal transduction. CD4 is the receptor of IL-16 and is a coreceptor for the human immunodeficiency virus (HIV) and human herpes virus 7 (HHV-7).		
Form:	Liquid	PE/Cyanine5 Excitation and Emission Spectra	
Conjugation:	PE/Cyanine 5		
Size:	20 Tests, 100 Tests, 200 Tests	80 - E 60 - A / A / A / A / A / A / A / A / A / A	
Host Species:	Mouse	60	
Isotype:	Mouse IgG1, κ	20 0 350 400 450 500 550 550 600 650 700 750 800 Wavelength (nm)	
		Ex:495;565;655 nm; Em:670 nm	

lsotype	Control:
---------	----------

Storage Buffer: Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

Shipping: Biological ice pack at 4°C



- **Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.
- **Recommended** Usage: Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.