

Product Datasheet **PE/Cyanine7 Anti-Human CD86 Antibody** [BU63] Catalogue Code: AGEL0648

Antibody Data

Product SKU: AGEL	Clone:	BU63	
Applications: FCM			
Reactivity: Huma	ı		

Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

Product Information:

Alternate Names: Uniprot ID: Background:	 58. CD86 is expressed on activate cells, and astrocytes. CD86, along 4). CD86 is expressed earlier in the shown to be involved in immunoglob cytotoxicity. CD86 binds to CD28 to 	superfamily member also known as B7-2, B70, and Ly- ed B and T cells, monocytes/macrophages, dendritic with CD80, is the ligand of CD28 and CD152 (CTLA- e immune response than CD80. CD86 has also been builin class-switching and triggering of NK cell-mediated transduce costimulatory signals for T cell activation, on. CD86 can bind to CD152 as well, also known as
Form:	Liquid	PE/Cyanine7 Excitation and Emission Spectra
Conjugation:	PE/Cyanine 7	100 -
Size:	20 Tests, 100 Tests, 200 Tests	80 - 8 60 - 8 60 -
Host Species:	Mouse	40
Isotype:	Mouse IgG1, κ	20 0 350 400 450 500 500 500 500 500 5
Isotype Control:	PE/Cyanine7 Mouse IgG1, κ Isotype	Control[MOPC-21] [Product AGEL0648]

Storage Buffer: Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

Shipping: Biological ice pack at 4°C



- **Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.
- **Recommended** Usage: Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.