

#### **Product Datasheet**

# Low Endotoxin Purified Anti-Mouse CD18 Antibody [M18/2]

Catalogue Code: AGEL2216

# Antibody Data

Product SKU: AGEL2216 Clone: M18/2

Applications: FCM

Reactivity: Mouse

## **Important Note:**

Centrifuge before opening to ensure complete recovery of vial contents.

### **Product Information:**

Alternate Names: Integrin beta-2;ltgb2;Cell surface adhesion glycoproteins LFA-1/CR3/p150+95 subunit

beta; Complement receptor C3 subunit beta; CD18;

Uniprot ID: P11835

Background: CD18 is a 95 kD protein, also known as integrin β2 subunit. It is expressed on all

leukocytes. CD18, in association with integrin  $\alpha$  chain CD11a, CD11b, and CD11c forms LFA-1, Mac-1, and  $\alpha$ X $\beta$ 2, respectively, and plays an important role in leukocytes adhesion. The CD18 integrin complexes bind ICAM-1 (CD54), ICAM-2 (CD102), ICAM-3 (CD50),

iC3b, and fibrinogen.

Form: Liquid

**Conjugation:** None (AF/LE)

Size: 50µg, 500µg, 1mg

Host Species: Rat

**Isotype:** Rat IgG2a, κ

**Isotype Control:** AF/LE Purified Rat IgG2a, κ Isotype Control[2A3] [Product AGEL2216]

Storage Buffer: 0.2 µm filtered in PBS, pH 7.2. Azide Free (AF)/Low Endotoxin (LE): Contains no stabilizers

or stabilizers. Endotoxin level is < 2 EU/mg as Determined by LAL gel clotting assay.

**Shipping:** Biological ice pack at 4°C



**Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to

light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial

contents. This product is guaranteed up to one year from purchase.

Recommended Usage:

Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq$  2.0 µg per 106 cells in 100 µL volume or 100 µL of whole blood. It is recommended that the reagent be titrated for optimal

performance for each application.