

Product Datasheet **PerCP/Cyanine5.5 Anti-Human CD24 Antibody [ML5]** Catalogue Code: AGEL2270

Antibody Data

Product SKU:	AGEL2270	Clone:	ML5
Applications:	FCM		
Reactivity:	Human		

Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

Product Information:

Alternate Names: Uniprot ID: Background:	GPI linked surface mucin;Heat stable antigen;HSA;Nectadrin;Signal transducer CD24; P25063 CD24 is a 35-45 kD glycosylphosphatidylinositol (GPI)-linked protein also known as heat stable antigen (HSA), BA-1, Ly-52, and nectadrin. It is expressed on the surface of B cells (but not plasma cells), granulocytes, follicular dendritic cells, and epithelial cells. CD24 may play a role in the regulation of B-cell proliferation and maturation. CD24 crosslinking induces a Ca2+ flux in mature B cells. CD24 has been shown to interact with CD62P (P-		
Form:	selectin). Liquid	PerCP/Cyanine5.5 Excitation and Emission Spectra	
Conjugation:	PerCP/Cyanine 5.5		
Size:	20 Tests, 100 Tests, 200 Tests	80	
Host Species:	Mouse	(%) 60 10 10 10 10 10 10 10 10 10 10 10 10 10	
Isotype:	Mouse IgG2a, κ	20 0 350 400 450 500 550 550 550 600 650 700 750 800 850 Wavelength (nm) Ex:440;480;675 nm; Em:675 nm	

Isotype Control:PerCP/Cyanine5.5 Mouse IgG2a, κ Isotype Control[C1.18.4] [Product AGEL2270]Storage Buffer:Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

Shipping: Biological ice pack at 4°C



- **Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.
- **Recommended** Usage: Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.