



## Product Datasheet

# Purified Anti-Human CD28 Antibody [CD28.2]

Catalogue Code: AGEL2369

### Antibody Data

<b>Product SKU:</b>	<b>AGEL2369</b>	<b>Clone:</b>	<b>CD28.2</b>
<b>Applications:</b>	<b>FCM</b>		
<b>Reactivity:</b>	<b>Human</b>		

### Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

### Product Information:

<b>Alternate Names:</b>	PAS2;MNS;HGpMiX;GYPA;GPSAT;
<b>Uniprot ID:</b>	P10747
<b>Background:</b>	CD28 is a 44 kD disulfide-linked homodimeric type I glycoprotein. It is a member of the immunoglobulin superfamily and is also known as T44 or Tp44. CD28 is expressed on most T lineage cells, NK cell subsets, and plasma cells. CD28 binds both CD80 and CD86 using a highly conserved motif MYPPY in the CDR3-like loop. CD28 is considered a major co-stimulatory molecule, inducing T lymphocyte activation and IL-2 synthesis, and preventing cell death. In vitro studies indicate that ligation of CD28 on T cells by CD80 and CD86 on antigen presenting cells provides a costimulatory signal required for T cell activation and proliferation.
<b>Form:</b>	Liquid
<b>Conjugation:</b>	Unconjugated
<b>Size:</b>	25&micro;g, 100&micro;g
<b>Host Species:</b>	Mouse
<b>Isotype:</b>	Mouse IgG1, $\kappa$
<b>Isotype Control:</b>	Purified Mouse IgG1, $\kappa$ Isotype Control[MOPC-21] [Product AGEL2369]
<b>Storage Buffer:</b>	Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer.
<b>Shipping:</b>	Biological ice pack at 4°C

**Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.

**Recommended Usage:** Each lot of this antibody is quality control tested by flow cytometric analysis. For flow cytometric staining, the suggested use of this reagent is  $\leq 0.5 \mu\text{g}$  per  $10^6$  cells in 100  $\mu\text{L}$  volume or 100  $\mu\text{L}$  of whole blood. It is recommended that the reagent be titrated for optimal performance for each application.

---