

Product Datasheet **GenieFluor Violet 450 Anti-Human CD3 Antibody [OKT-3]** Catalogue Code: AGEL3019

Antibody Data

| Product SKU: AGEL3019 | Clone: | OKT-3 | |
|-----------------------|--------|-------|--|
| Applications: FCM | | | |
| Reactivity: Human | | | |

Important Note:

Centrifuge before opening to ensure complete recovery of vial contents.

Product Information:

| Alternate Names: Uniprot ID: Background: | T-cell surface glycoprotein CD3 epsilon chain;CD3E;T-cell surface antigen T3/Leu-4 epsilon chain;CD3e;CD3E;T3E; P07766 CD3ɛ is a 20 kD chain of the CD3/T cell receptor (TCR) complex, which is composed of two CD3ɛ, one CD3γ, one CD3δ, one CD3ζ (CD247), and a T cell receptor (α/β or γ/δ) heterodimer. It is found on all mature T lymphocytes, NK T cells, and some thymocytes. CD3, also known as T3, is a member of the immunoglobulin superfamily that plays a role in antigen recognition, signal transduction, and T cell activation. | |
|--|---|--|
| Form: | Liquid | 450 Excitation and Emission Spectra |
| Conjugation: | Genie FluorViolet 450 | |
| Size: | 20 Tests, 100 Tests, 200 Tests | 80 - / / |
| Host Species: | Mouse | 40 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 |
| Isotype: | Mouse IgG2a, к | |
| Isotype Control: | Genie Fluor Violet 450 Mouse IgG2a, κ Isotype Control[C1.18.4] [Product AGEL3019] | |

Storage Buffer: Phosphate buffered solution, pH 7.2, containing 0.09% stabilizer and 1% protein protectant.

Shipping: Biological ice pack at 4°C



- **Stability & Storage:** Keep as concentrated solution. Store at 2~8°C and protected from prolonged exposure to light. Do not freeze. Centrifuge before opening to ensure complete recovery of vial contents. This product is guaranteed up to one year from purchase.
- **Recommended** Usage: Each lot of this antibody is quality control tested by flow cytometric analysis. The amount of the reagent is suggested to be used 5 μ L of antibody per test (million cells in 100 μ L staining volume or per 100 μ L of whole blood). Please check your vial before the experiment. Since applications vary, the appropriate dilutions must be determined for individual use.