## **IGF1 Rabbit Polyclonal Antibody**



## **CAB0303**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

18KDa

**Calculated MW:** 

15kDa/17kDa/21kDa

**Applications:** 

WB IHC

Reactivity:

Human, Mouse, Rat

**Protein Background** 

The protein encoded by this gene is similar to insulin in function and structure and is a member of a family of proteins involved in mediating growth and development. The encoded protein is processed from a precursor, bound by a specific receptor, and secreted. Defects in this gene are a cause of insulin-like growth factor I deficiency. Alternative splicing results in multiple transcript variants encoding different isoforms that may undergo similar processing to generate mature protein.

Immunogen information

**Gene ID:** 3479

**Uniprot** P05019

**Synonyms:** 

IGF1; IGF-I; IGFI; MGF

**Antibody Information** 

Recommended dilutions:

WB 1:500 - 1:2000 IHC 1:50

- 1:200

Source:

Rabbit

Isotype:

lgG

Immunogen:

A synthetic peptide corresponding to a sequence within amino acids 90 to the C-terminus of human IGF1 (NP\_000609.1).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.


**Purification:** 

Affinity purification

## **Product Images**







Western blot analysis of extracts of various cell lines, using IGF1 Rabbit pAb (CAB0303) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 180s.

Immunohistochemistry of paraffin-embedded human lung cancer using IGF1 Rabbit pAb (CAB0303) at dilution of 1:100 (40x lens).