KCNN2 Rabbit Polyclonal Antibody

CAB10662



Product Information Size: 20uL, 50uL, 100uL, 200uL Observed MW: Refer to figures Calculated MW: 26kDa/63kDa Applications: WB Reactivity:	Protein Background Action potentials in vertebrate neurons are followed by an afterhyperpolarization (AHP) that may persist for several seconds and may have profound consequences for the firing pattern of the neuron. Each component of the AHP is kinetically distinct and is mediated by different calcium-activated potassium channels. The protein encoded by this gene is activated before membrane hyperpolarization and is thought to regulate neuronal excitability by contributint to the slow component of synaptic AHP. This gene is a member of the KCNN family of potassium channel genes. The encoded protein is an integral membrane protein that forms voltage-independent calcium-activated channel with three other calmodulin-binding subunit Alternate splicing of this gene results in multiple transcript variants. Immunogen information Gene ID: 3781		
		Reactivity.	Uniprot
		Human	Q9H2S1
		Antibody Information	Synonyms:
		-	KCNN2; KCa2.2; SK2; SKCA2; SKCa 2; hSK2; SKCa2
		Recommended dilutions: WB 1:500 - 1:2000	
		Source:	Immunogen:
		Rabbit	Recombinant fusion protein containing a sequence corresponding to amino acids 520-579 of human KCNN2 (NP_067627.2).
		lsotype:	
		lgG	Storage:
Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.			

Affinity purification