
SF3A2 Rabbit Polyclonal Antibody

CAB10812



roduct Information	Protein Background
Size:	This gene encodes subunit 2 of the splicing factor 3a protein complex. The splicing factor 3a
20uL, 50uL, 100uL, 200uL	heterotrimer includes subunits 1, 2 and 3 and is necessary for the in vitro conversion of 15S U2 snRNP into an active 17S particle that performs pre-mRNA splicing. Subunit 2 interacts with
Observed MW:	subunit 1 through its amino-terminus while the single zinc finger domain of subunit 2 plays a role in its binding to the 15S U2 snRNP. Subunit 2 may also function independently of its RNA
66kDa	splicing function as a microtubule-binding protein.
Calculated MW:	Immunogen information
49kDa	Gene ID:
Applications:	8175
WB	Uniprot
Reactivity:	Q15428
Mouse, Rat	Synonyms: SF3A2; PRP11; PRPF11; SAP62; SF3a66
Antibody Information	
Recommended dilutions: WB 1:500 - 1:2000	Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human SF3A2 (NP_009096.2).
Source: Rabbit	
	Storage: Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
lsotype: IgG	sodium azide, 50% glycerol, pH7.3.

Purification: Affinity purification



Western blot analysis of extracts of various cell lines, using SF3A2 antibody (CAB10812) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 3s.