
NT5C2 Rabbit Polyclonal Antibody

CAB11628



Product Information Size:	Protein Background This gene encodes a hydrolase that serves as an important role in cellular purine metabolism
20uL, 50uL, 100uL, 200uL	by acting primarily on inosine 5'-monophosphate and other purine nucleotides.
Observed MW:	Immunogen information
75kDa	Gene ID:
Calculated MW:	22978
61kDa/64kDa	Uniprot P49902
Applications:	
WB	Synonyms:
Reactivity:	NT5C2; GMP; NT5B; PNT5; SPG45; SPG65
Human, Mouse, Rat	
Antibody Information	Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 382-561 of human NT5C2 (NP_036361.1).
Recommended dilutions:	
WB 1:500 - 1:2000	Storage: Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
Source: Rabbit	sodium azide, 50% glycerol, pH7.3.
lsotype: IgG	

Purification: Affinity purification



Western blot analysis of extracts of various cell lines, using NT5C2 antibody (CAB11628) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.