## **PTPRR Rabbit Polyclonal Antibody**



## **CAB12113**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

50kDa

Calculated MW:

46kDa/51kDa/61kDa/73kDa

**Applications:** 

WB

Reactivity:

Mouse

**Protein Background** 

The protein encoded by this gene is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. This PTP possesses an extracellular region, a single transmembrane region, and a single intracellular catalytic domain, and thus represents a receptor-type PTP. Silencing of this gene has been associated with colorectal cancer. Multiple transcript variants encoding different isoforms have been found for this gene. This gene shares a symbol (PTPRQ) with another gene, protein tyrosine phosphatase, receptor type, Q (GenelD 374462), which is also located on chromosome 12.

Immunogen information

**Gene ID:** 5801

5001

Uniprot

Q15256

**Synonyms:**PTPRR; EC-PTP; PCPTP1; PTP-SL; PTPBR7; PTPRQ

**Antibody Information** 

Recommended dilutions:

WB 1:500 - 1:2000

Immunogen:

Source: Recombinant fusion protein containing a sequence corresponding

Rabbit to amino acids 240-400 of human PTPRR (NP\_002840.2).

Isotype: Storage:


IgG Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of mouse liver, using PTPRR Antibody (CAB12113) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 90s.