
TNFRSF10B Rabbit Polyclonal Antibody

CAB1236



Product Information	Protein Background
Size:	The protein encoded by this gene is a member of the TNF-receptor superfamily, and contain
20uL, 50uL, 100uL, 200uL	an intracellular death domain. This receptor can be activated by tumor necrosis factor-related apoptosis inducing ligand (TNFSF10/TRAIL/APO-2L), and transduces an apoptosis signal
Observed MW:	Studies with FADD-deficient mice suggested that FADD, a death domain containing adaptor protein, is required for the apoptosis mediated by this protein. Two transcript variants encoding
48kDa	different isoforms and one non-coding transcript have been found for this gene.
Calculated MW:	Immunogen information
12kDa/45kDa/47kDa	Gene ID:
Applications:	8795
WB	Uniprot
Reactivity:	O14763
Human	Supervised
	Synonyms: CD262; DR5; KILLER; KILLER/DR5; TRAIL-R2; TRAILR2; TRICK2; TRICK2A; TRICK2B; TRICKB; ZTNFR9; TNFRSF10B
Antibody Information	
Recommended dilutions:	Immunogen:
WB 1:500 - 1:2000	Recombinant fusion protein containing a sequence corresponding to amino acids 56-210 of human TNFRSF10B (NP_003833.4).
Source: Rabbit	
	Storage:
lasting	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
lsotype: lgG	

Purification: Affinity purification



Western blot analysis of extracts of Jurkat cells, using TNFRSF10B antibody (CAB1236) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.