
## PTP4A1 Rabbit Polyclonal Antibody

## CAB12360



Product Information	Protein Background
Size:	This gene encodes a member of a small class of prenylated protein tyrosine phosphatases
20uL, 50uL, 100uL, 200uL	(PTPs), which contain a PTP domain and a characteristic C-terminal prenylation motif. The encoded protein is a cell signaling molecule that plays regulatory roles in a variety of cellular
Observed MW:	processes, including cell proliferation and migration. The protein may also be involved in cancer development and metastasis. This tyrosine phosphatase is a nuclear protein, but may associate
20kDa	with plasma membrane by means of its prenylation motif. Pseudogenes related to this gene are located on chromosomes 1, 2, 5, 7, 11 and X.
Calculated MW:	
19kDa	Immunogen information
Applications:	<b>Gene ID:</b> 7803
WB	
Reactivity:	Uniprot Q93096
Human, Mouse, Rat	
	<b>Synonyms:</b> PTP4A1; HH72; PRL-1; PRL1; PTP(CAAX1); PTPCAAX1
Antibody Information	
Recommended dilutions:	
WB 1:500 - 1:2000	Immunogen: Recombinant fusion protein containing a sequence corresponding
<b>Source:</b> Rabbit	to amino acids 1-173 of human PTP4A1 (NP_003454.1).
	Storage:
<b>lsotype:</b> IgG	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Purification:** Affinity purification



Western blot analysis of extracts of various cell lines, using PTP4A1 antibody (CAB12360) at 1:3000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 90s.