NOX2/gp91phox Rabbit Polyclonal Antibody


CAB12430



Product Information Size:	Protein Background Cytochrome b (-245) is composed of cytochrome b alpha (CYBA) and beta (CYBB) chain. It has
	been proposed as a primary component of the microbicidal oxidase system of phagocytes.
20uL, 50uL, 100uL, 200uL Observed MW:	CYBB deficiency is one of five described biochemical defects associated with chronic granulomatous disease (CGD). In this disorder, there is decreased activity of phagocyte NADPH oxidase; neutrophils are able to phagocytize bacteria but cannot kill them in the phagocytic
65kDa	vacuoles. The cause of the killing defect is an inability to increase the cell's respiration and consequent failure to deliver activated oxygen into the phagocytic vacuole.
Calculated MW:	
65kDa	Immunogen information
Applications:	Gene ID: 1536
WB	
Reactivity:	Uniprot P04839
Human, Mouse, Rat	
Antibody Information	Synonyms: AMCBX2; CGD; GP91-1; GP91-PHOX; GP91PHOX; IMD34; NOX2; p91-PHOX; CYBB
Recommended dilutions:	
WB 1:500 - 1:2000	Immunogen: A synthetic peptide corresponding to a sequence within amino
Source: Rabbit	acids 100-200 of human NOX2/gp91phox (NP_000388.2).
lsotype: lgG	Storage: Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

Purification: Affinity purification

www.assaygenie.com



Western blot analysis of extracts of various cell lines, using NOX2/gp91phox antibody (CAB12430) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.