## **KTN1 Rabbit Polyclonal Antibody**



## **CAB12456**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

178kDa

**Calculated MW:** 

149kDa/150kDa/152kDa/156

kDa

**Applications:** 

**WB IHC** 

Reactivity:

Human, Mouse, Rat

**Protein Background** 

This gene encodes an integral membrane protein that is a member of the kinectin protein family. The encoded protein is primarily localized to the endoplasmic reticulum membrane. This protein binds kinesin and may be involved in intracellular organelle motility. This protein also binds translation elongation factor-delta and may be involved in the assembly of the elongation factor-1 complex. Alternate splicing results in multiple transcript variants of this

Immunogen information

Gene ID:

3895

**Uniprot** Q86UP2

**Synonyms:** 

KTN1; CG1; KNT; MU-RMS-40.19; kinectin

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000 IHC 1:50

- 1:200

Source:

Rabbit

**Isotype:** IgG Immunogen:

A synthetic peptide corresponding to a sequence within amino acids 1-100 of human KTN1 (NP\_001072989.1).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using KTN1 antibody (CAB12456) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 90s.