## **KCNK9 Rabbit Polyclonal Antibody**



## **CAB12583**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

42kDa

42kDa

WB

**Calculated MW:** 

**Applications:** 

Reactivity:

Human, Mouse

Antibody Information

Recommended dilutions:

WB 1:500 - 1:2000

Source:

Rabbit

Isotype:

IgG

**Purification:** Affinity purification

**Protein Background** 

This gene encodes a protein that contains multiple transmembrane regions and two poreforming P domains and functions as a pH-dependent potassium channel. Amplification and overexpression of this gene have been observed in several types of human carcinomas. This gene is imprinted in the brain, with preferential expression from the maternal allele. A mutation in this gene was associated with Birk-Barel mental retardation dysmorphism syndrome. Alternative splicing results in multiple transcript variants.

Immunogen information

Gene ID:

51305

**Uniprot** Q9NPC2

**Synonyms:** 

KCNK9; K2p9.1; KT3.2; TASK-3; TASK3

Immunogen:


Recombinant fusion protein containing a sequence corresponding to amino acids 265-374 of human KCNK9 (NP\_001269463.1).

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

## **Product Images**



Western blot analysis of extracts of various cell lines, using KCNK9 antibody (CAB12583) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.