

---

## Product Information

<b>Product SKU:</b>	CAB13272	<b>Gene ID:</b>	10664	<b>Size:</b>	20uL, 100uL
<b>Clone No:</b>	-	<b>Host Species:</b>	Rabbit	<b>Reactivity:</b>	Human,Mouse,Rat

---

## Additional Information

<b>Observed MW:</b>	140kDa	<b>Conjugate:</b>	Unconjugated
<b>Calculated MW:</b>	83kDa	<b>Isotype:</b>	IgG

---

## Immunogen Information

<b>Background:</b>	This gene is a member of the BORIS + CTCF gene family and encodes a transcriptional regulator protein with 11 highly conserved zinc finger (ZF) domains. This nuclear protein is able to use different combinations of the ZF domains to bind different DNA target sequences and proteins. Depending upon the context of the site, the protein can bind a histone acetyltransferase (HAT)-containing complex and function as a transcriptional activator or bind a histone deacetylase (HDAC)-containing complex and function as a transcriptional repressor. If the protein is bound to a transcriptional insulator element, it can block communication between enhancers and upstream promoters, thereby regulating imprinted expression. Mutations in this gene have been associated with invasive breast cancers, prostate cancers, and Wilms' tumors. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.
<b>Recommended Dilution:</b>	WB,1:1000 - 1:2000 IHC-P,1:50 - 1:200 IF/ICC,1:50 - 1:200 IP,0.5µg-4µg antibody for 200µg-400µg extracts of whole cellsChIP,3µg antibody for 10µg-15µg of Chromatin
<b>Synonyms:</b>	MRD21; FAP108; CFAP108; CTCF
<b>Purification Method:</b>	Affinity purification
<b>Immunogen:</b>	Recombinant fusion protein containing a sequence corresponding to amino acids 1-260 of human CTCF (NP_006556.1).
<b>Storage:</b>	Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.