## XRCC5 Rabbit Polyclonal Antibody



## **CAB13369**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

83kDa

Calculated MW:

82kDa

**Applications:** 

**WB IHC** 

Reactivity:

Human

**Protein Background** 

The protein encoded by this gene is the 80-kilodalton subunit of the Ku heterodimer protein which is also known as ATP-dependant DNA helicase II or DNA repair protein XRCC5. Ku is the DNA-binding component of the DNA-dependent protein kinase, and it functions together with the DNA ligase IV-XRCC4 complex in the repair of DNA double-strand break by nonhomologous end joining and the completion of V(D)J recombination events. This gene functionally complements Chinese hamster xrs-6, a mutant defective in DNA double-strand break repair and in ability to undergo V(D)J recombination. A rare microsatellite polymorphism in this gene is associated with cancer in patients of varying radiosensitivity.

Immunogen information

Gene ID: 7520

Uniprot P13010

Synonyms:

**Antibody Information** 

**Recommended dilutions:** WB 1:500 - 1:2000 IHC 1:50

- 1:200

Source:

Rabbit

Immunogen:

Storage:

Recombinant fusion protein containing a sequence corresponding to amino acids 540-732 of human XRCC5 (NP\_066964.1).

XRCC5; KARP-1; KARP1; KU80; KUB2; Ku86; NFIV

Isotype:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% IgG

sodium azide, 50% glycerol, pH7.3.


**Purification:** 

Affinity purification


## **Product Images**




Western blot analysis of extracts of various cell lines, using XRCC5 antibody (CAB13369) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 15s.



Immunohistochemistry of paraffin-embedded human prostate cancer using XRCC5 antibody (CAB13369) at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded human esophagus using XRCC5 antibody (CAB13369) at dilution of 1:100 (40x lens).



Immunohistochemistry of paraffin-embedded human stomach using XRCC5 antibody (CAB13369) at dilution of 1:100 (40x lens).