## **SCG2 Rabbit Polyclonal Antibody**



## **CAB13563**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

71kDa

70kDa

WB

**Calculated MW:** 

Applications:

- -

Reactivity:

Human, Mouse

Antibody Information

Recommended dilutions:

WB 1:500 - 1:2000

Source:

Rabbit

**Isotype:** IgG **Protein Background** 

The protein encoded by this gene is a member of the chromogranin/secretogranin family of neuroendocrine secretory proteins. Studies in rodents suggest that the full-length protein, secretogranin II, is involved in the packaging or sorting of peptide hormones and neuropeptides into secretory vesicles. The full-length protein is cleaved to produce the active peptide secretoneurin, which exerts chemotaxic effects on specific cell types, and EM66, whose function is unknown.

Immunogen information

Gene ID:

7857

Uniprot

P13521

Synonyms:

SCG2; CHGC; EM66; SN; SqII

Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 425-617 of human SCG2 (NP\_003460.2).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using SCG2 antibody (CAB13563) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 90s.