## **MIWI Rabbit Polyclonal Antibody**



## **CAB13573**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

98kDa

**Calculated MW:** 

95kDa/98kDa

**Applications:** 

WB IHC

Reactivity:

Human, Mouse, Rat

**Protein Background** 

This gene encodes a member of the PIWI subfamily of Argonaute proteins, evolutionarily conserved proteins containing both PAZ and Piwi motifs that play important roles in stem cell self-renewal, RNA silencing, and translational regulation in diverse organisms. The encoded protein may play a role as an intrinsic regulator of the self-renewal capacity of germline and hematopoietic stem cells. Alternatively spliced transcript variants encoding different isoforms have been found for this gene.

Immunogen information

Gene ID:

57749

**Uniprot** Q9JMB7

**Synonyms:** 

PIWIL1; CT80.1; HIWI; MIWI; PIWI

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000 IHC 1:50

- 1:200

Source:

Rabbit

Nabbit

Isotype:

IgG

Immunogen:

Recombinant protein of mouse PIWIL1

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using PIWIL1 antibody (CAB13573) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 3s.