## **MED23 Rabbit Polyclonal Antibody**



## **CAB14090**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

Refer to figures

**Calculated MW:** 

54kDa/100kDa/155kDa/156k Da

**Applications:** 

WB

Reactivity:

Mouse, Rat

**Protein Background** 

The activation of gene transcription is a multistep process that is triggered by factors that recognize transcriptional enhancer sites in DNA. These factors work with co-activators to direct transcriptional initiation by the RNA polymerase II apparatus. The protein encoded by this gene is a subunit of the CRSP (cofactor required for SP1 activation) complex, which, along with TFIID, is required for efficient activation by SP1. This protein is also a component of other multisubunit complexes e.g. thyroid hormone receptor-(TR-) associated proteins which interact with TR and facilitate TR function on DNA templates in conjunction with initiation factors and cofactors. This protein also acts as a metastasis suppressor. Several alternatively spliced transcript variants encoding different isoforms have been described for this gene.

Immunogen information

**Gene ID:** 70208

Uniprot

Synonyms:

**Antibody Information** MED23; ARC130; CRSP130; CRSP133; CRSP3; DRIP130; MRT18; SUR-2; SUR2

Recommended dilutions:

WB 1:500 - 1:2000

Immunogen:

**Source:** Recombinant fusion protein containing a sequence corresponding to amino acids 1046-1376 of mouse MED23 (NP\_001159888.1).

Isotype: Storage:

IgG Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification