
JARID1B Rabbit Polyclonal Antibody

CAB14104



roduct Information	Protein Background
Size:	This gene encodes a lysine-specific histone demethylase that belongs to the jumonji/ARID
20uL, 50uL, 100uL, 200uL	domain-containing family of histone demethylases. The encoded protein is capable of demethylating tri-, di- and monomethylated lysine 4 of histone H3. This protein plays a role in
Observed MW:	the transcriptional repression or certain tumor suppressor genes and is upregulated in certair cancer cells. This protein may also play a role in genome stability and DNA repair. Alternate
176kDa	splicing results in multiple transcript variants.
Calculated MW:	Immunogen information
175kDa/179kDa	Gene ID:
Applications:	10765
WB	Uniprot
Reactivity:	Q9UGL1
Human, Mouse, Rat	Synonyms:
	KDM5B; CT31; JARID1B; PLU-1; PLU1; PPP1R98; PUT1; RBBP2H1A; RBP2-H1
Antibody Information	
Recommended dilutions:	Immunogen:
WB 1:500 - 1:2000	Recombinant fusion protein containing a sequence corresponding to amino acids 784-883 of human JARID1B (NP_006609.3).
Source:	
Rabbit	Storage:
	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
lsotype:	sodium azide, 50% glycerol, pH7.3.
lgG	

Purification: Affinity purification



Western blot analysis of extracts of various cell lines, using KDM5B antibody (CAB14104) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 90s.