## MAP2K6 Rabbit Polyclonal Antibody



## CAB14191

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

37kDa

Calculated MW:

31kDa/37kDa

**Applications:** 

WB

Reactivity:

Human, Mouse, Rat

**Protein Background** 

This gene encodes a member of the dual specificity protein kinase family, which functions as a mitogen-activated protein (MAP) kinase kinase. MAP kinases, also known as extracellular signal-regulated kinases (ERKs), act as an integration point for multiple biochemical signals. This protein phosphorylates and activates p38 MAP kinase in response to inflammatory cytokines or environmental stress. As an essential component of p38 MAP kinase mediated signal transduction pathway, this gene is involved in many cellular processes such as stress induced cell cycle arrest, transcription activation and apoptosis.

Immunogen information

Gene ID: 5608

Uniprot P52564

Synonyms:

MAP2K6; MAPKK6; MEK6; MKK6; PRKMK6; SAPKK-3; SAPKK3

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000

Immunogen:

Recombinant fusion protein containing a sequence corresponding to amino acids 1-334 of human MAP2K6 (NP\_002749.2). Source:

Rabbit

IgG


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% Isotype:

sodium azide, 50% glycerol, pH7.3.

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using MAP2K6 antibody (CAB14191) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 10s.