

## CAB14618

## **Product Information**

Product SKU:	CAB14618	Gene ID:	6233	Size:	20uL, 100uL
Clone No:	-	Host Species:	Rabbit	Reactivity:	Human, Mouse, Rat

## **Additional Information**

Observed MW:	Refer to Figures	Conjugate:	Unconjugated
Calculated MW:	18kDa	lsotype:	lgG

## **Immunogen Information**

Background	Ubiquitin, a highly conserved protein that has a major role in targeting cellular proteins for degradation		
	by the 26S proteosome, is synthesized as a precursor protein consisting of either polyubiquitin chains		
	or a single ubiquitin fused to an unrelated protein. This gene encodes a fusion protein consisting of		
	ubiquitin at the N terminus and ribosomal protein S27a at the C terminus. When expressed in yeast, the		
	protein is post-translationally processed, generating free ubiquitin monomer and ribosomal protein		
	S27a. Ribosomal protein S27a is a component of the 40S subunit of the ribosome and belongs to		
	S27AE family of ribosomal proteins. It contains C4-type zinc finger domains and is located in the		
	cytoplasm. Pseudogenes derived from this gene are present in the genome. As with ribosomal protein		
	S27a, ribosomal protein L40 is also synthesized as a fusion protein with ubiquitin; similarly, ribosomal		
	protein S30 is synthesized as a fusion protein with the ubiquitin-like protein fubi. Multiple alternatively		
	spliced transcript variants that encode the same proteins have been identified.		
Recommended Dilution:	WB,1:500 - 1:2000 IHC-P,1:100 - 1:200		
Synonyms:	UBC; S27A; eS31; CEP80; UBA80; HEL112; UBCEP1; UBCEP80; RPS27A		
Purifcation Method:	Affinity purification		
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-156 of human		
	RPS27A (NP_001170884.1).		
Storage:	Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.		