B4GALT4 Rabbit Polyclonal Antibody

CAB14693

Size:

Product Information




20uL, 50uL, 100uL, 200uL **Observed MW:** 40kDa **Calculated MW:** 40kDa been found for this gene. **Applications:** Immunogen information WB IF Gene ID: **Reactivity:** 8702 Human, Mouse, Rat Uniprot O60513 **Antibody Information** Synonyms: **Recommended dilutions:** B4GALT4; B4Gal-T4; beta4Gal-T4; beta-1 WB 1:500 - 1:2000 IF 1:50 -1:200 Source: Rabbit Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 35-344 of human B4GALT4 (NP_003769.1). **Isotype:** lgG Storage:

Purification: Affinity purification

Protein Background

This gene is one of seven beta-1, 4-galactosyltransferase (beta4GalT) genes. They encode type Il membrane-bound glycoproteins that appear to have exclusive specificity for the donor substrate UDP-galactose; all transfer galactose in a beta1, 4 linkage to similar acceptor sugars: GlcNAc, Glc, and Xyl. Each beta4GalT has a distinct function in the biosynthesis of different glycoconjugates and saccharide structures. As type II membrane proteins, they have an Nterminal hydrophobic signal sequence that directs the protein to the Golgi apparatus and which then remains uncleaved to function as a transmembrane anchor. By sequence similarity, the beta4GalTs form four groups: beta4GalT1 and beta4GalT2, beta4GalT3 and beta4GalT4, beta4GalT5 and beta4GalT6, and beta4GalT7. The enzyme encoded by this gene appears to mainly play a role in glycolipid biosynthesis. Two alternatively spliced transcript variants have

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.



Western blot analysis of extracts of various cell lines, using B4GALT4 antibody (CAB14693) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 1s.

Immunofluorescence analysis of HeLa cells using B4GALT4 antibody (CAB14693) at dilution of 1:100. Blue: DAPI for nuclear staining.