## **ZBTB17 Rabbit Polyclonal Antibody**



## **CAB14800**

**Product Information** 

**Protein Background** 

Size:

This gene encodes a zinc finger protein involved in the regulation of c-myc. The symbol MIZ1

20uL, 50uL, 100uL, 200uL

has also been associated with PIAS2 which is a different gene located on chromosome 18.

**Observed MW:** 

Immunogen information

110kDa

Gene ID:

**Calculated MW:** 

79kDa/87kDa/88kDa

Uniprot

7709

Q13105

**Applications:** 

Synonyms:

Reactivity:

**WB IHC** 

ZBTB17; MIZ-1; ZNF151; ZNF60; pHZ-67

Human, Mouse, Rat

Immunogen:

Recombinant fusion protein containing a sequence corresponding to amino acids 121-360 of human ZBTB17 (NP\_003434.2).

**Antibody Information Recommended dilutions:** 

WB 1:500 - 1:2000 IHC 1:50

- 1:200

Storage:

Source: Rabbit

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


Isotype:

IgG

**Purification:** 

Affinity purification

## **Product Images**



Western blot analysis of extracts of various cell lines, using ZBTB17 Rabbit pAb (CAB14800) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.