## **ULK2 Rabbit Polyclonal Antibody**



## **CAB15244**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

113kDa

112kDa

WB

**Calculated MW:** 

**Applications:** 

Reactivity:

Human, Mouse, Rat

Antibody Information

Recommended dilutions:

WB 1:500 - 1:2000

Source:

Rabbit

Isotype:

IgG

**Purification:** 

Affinity purification

**Protein Background** 

This gene encodes a protein that is similar to a serine/threonine kinase in C. elegans which is involved in axonal elongation. The structure of this protein is similar to the C. elegans protein in that both proteins have an N-terminal kinase domain, a central proline/serine rich (PS) domain, and a C-terminal (C) domain. The gene is located within the Smith-Magenis syndrome region on chromosome 17. Alternatively spliced transcript variants encoding the same protein

have been identified.

Immunogen information

Gene ID:

9706

Uniprot

Q8IYT8

**Synonyms:** 

ULK2; ATG1B; Unc51.2

Immunogen:

A synthetic peptide corresponding to a sequence within amino


acids 1-100 of human ULK2 (NP\_001136082.1).

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

## **Product Images**



Western blot analysis of extracts of various cell lines, using ULK2 antibody (CAB15244) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.