

---

## Product Information

<b>Product SKU:</b>	CAB15353	<b>Gene ID:</b>	9353	<b>Size:</b>	20uL, 100uL
<b>Clone No:</b>	-	<b>Host Species:</b>	Rabbit	<b>Reactivity:</b>	Human, Mouse

---

## Additional Information

<b>Observed MW:</b>	170kDa	<b>Conjugate:</b>	Unconjugated
<b>Calculated MW:</b>	170kDa	<b>Isotype:</b>	IgG

---

## Immunogen Information

<b>Background:</b>	This gene encodes a member of the slit family of secreted glycoproteins, which are ligands for the Robo family of immunoglobulin receptors. Slit proteins play highly conserved roles in axon guidance and neuronal migration and may also have functions during other cell migration processes including leukocyte migration. Members of the slit family are characterized by an N-terminal signal peptide, four leucine-rich repeats, nine epidermal growth factor repeats, and a C-terminal cysteine knot. Proteolytic processing of this protein gives rise to an N-terminal fragment that contains the four leucine-rich repeats and five epidermal growth factor repeats and a C-terminal fragment that contains four epidermal growth factor repeats and the cysteine knot. Both full length and cleaved proteins are secreted extracellularly and can function in axon repulsion as well as other specific processes. Alternative splicing results in multiple transcript variants.
<b>Recommended Dilution:</b>	WB, 1:200 - 1:2000
<b>Synonyms:</b>	SLIL3; Slit-2; Slit2
<b>Purification Method:</b>	Affinity purification
<b>Immunogen:</b>	Recombinant fusion protein containing a sequence corresponding to amino acids 1330-1529 of human Slit2 (NP_004778.1).
<b>Storage:</b>	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.01% thimerosal, 50% glycerol, pH 7.3.