

CAB15620

Product Information

|              |          |               |           |             |   |
|--------------|----------|---------------|-----------|-------------|---|
| Product SKU: | CAB15620 | Gene ID:      | 3012/8329 | Size:       | 20uL, 100uL                                     |
| Clone No:    | -        | Host Species: | Rabbit    | Reactivity: | Human,Mouse,Rat,Other<br>(Wide Range Predicted) |

Additional Information

|                |       |            |              |
|----------------|-------|------------|--------------|
| Observed MW:   | 14kDa | Conjugate: | Unconjugated |
| Calculated MW: | 14kDa | Isotype:   | IgG          |

Immunogen Information

|                       |  |
|-----------------------|--|
| Background:           | Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Two molecules of each of the four core histones (H2A, H2B, H3, and H4) form an octamer, around which approximately 146 bp of DNA is wrapped in repeating units, called nucleosomes. The linker histone, H1, interacts with linker DNA between nucleosomes and functions in the compaction of chromatin into higher order structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H2A family. Transcripts from this gene lack polyA tails but instead contain a palindromic termination element. This gene is found in the small histone gene cluster on chromosome 6p22-p21.3. |
| Recommended Dilution: | WB,1:500 - 1:1000 IF/ICC,1:50 - 1:100  |
| Synonyms:             | H2A/c; H2AFC; H2AC11; H2AC15; H2AC16; H2AC17; HIST1H2AI; Acetyl-Histone H2A-K5   |
| Purification Method:  | Affinity purification  |
| Immunogen:            | A synthetic acetylated peptide around K5 of human Histone H2A (NP_003508.1).   |
| Storage:              | Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.01% thimerosal,50% glycerol,pH7.3.   |