THRB Rabbit Polyclonal Antibody



CAB1582

Product Information

Size:

20uL, 50uL, 100uL, 200uL

Observed MW:

53kDa

Calculated MW:

52kDa/54kDa

Applications:

Reactivity:

WB IF

Human, Mouse, Rat

Protein Background

The protein encoded by this gene is a nuclear hormone receptor for triiodothyronine. It is one of the several receptors for thyroid hormone, and has been shown to mediate the biological activities of thyroid hormone. Knockout studies in mice suggest that the different receptors, while having certain extent of redundancy, may mediate different functions of thyroid hormone. Mutations in this gene are known to be a cause of generalized thyroid hormone resistance (GTHR), a syndrome characterized by goiter and high levels of circulating thyroid hormone (T3-T4), with normal or slightly elevated thyroid stimulating hormone (TSH). Several alternatively spliced transcript variants encoding the same protein have been observed for this gene.

Immunogen information

Gene ID: 7068

Uniprot P10828

Antibody Information

Recommended dilutions:

WB 1:500 - 1:2000 IF 1:50 -1:200

Source:

Rabbit

Isotype:

IgG

Synonyms:

THRB; C-ERBA-2; C-ERBA-BETA; ERBA2; GRTH; NR1A2; PRTH;

THR1; THRB1; THRB2

Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 1-250 of human THRB (NP_000452.2).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%


sodium azide, 50% glycerol, pH7.3.

Purification:

Affinity purification

Product Images





Western blot analysis of extracts of various cell lines, using THRB antibody (CAB1582) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (CABM00021). Exposure time: 30s.

Immunofluorescence analysis of U-2 OS cells using THRB antibody (CAB1582) at dilution of 1:100. Blue: DAPI for nuclear staining.