
## **CEBPZ Rabbit Polyclonal Antibody**

## CAB16478



roduct Information	Protein Background
Size:	This gene belongs to the CEBP family. The encoded protein plays a role in cellular response to
20uL, 50uL, 100uL, 200uL	environmental stimuli through a transcriptional process that involves heat shock factors conserved DNA elements (heat shock elements or HSEs) and CCAAT boxes. The protein acts a
Observed MW:	a DNA-binding transcriptional activator and regulates the heat-shock protein 70 (HSP7( promoter in a CCAAT-dependent manner. The protein is also involved in cell growth an
140kDa	differentiation, particularly, hematopoietic differentiation. Methylation of the promoter of the gene or mutations within the gene may be correlated with occurance of acute myeloid leukemi
Calculated MW:	(AML).
120kDa	Immunogen information
Applications:	Gene ID:
WB	10153
Reactivity:	Uniprot
Human, Rat	Q03701
	Synonyms:
Antibody Information	CEBPZ; CBF; CBF2; HSP-CBF; NOC1
<b>Recommended dilutions:</b> WB 1:500 - 1:2000	
	Immunogen:
<b>Source:</b> Rabbit	Recombinant fusion protein containing a sequence corresponding to amino acids 1-230 of human CEBPZ (NP_005751.2).
lsotype:	Storage:
lgG	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

**Purification:** Affinity purification



Western blot analysis of extracts of various cell lines, using CEBPZ antibody (CAB16478) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.