XBP1s Rabbit Polyclonal Antibody





Product Information

Product SKU: CAB17007 **Gene ID**: 7494 **Size**: 20uL, 100uL

Clone No: - Host Species: Rabbit Reactivity: Human, Mouse, Rat

Additional Information

Observed MW: 28kDa/50kDa Conjugate: -

Calculated MW: 29kDa Isotype: IgG

Immunogen Information

Background: This gene encodes a transcription factor that regulates MHC class II genes by binding to a promoter

element referred to as an X box. This gene product is a bZIP protein, which was also identified as a cellular transcription factor that binds to an enhancer in the promoter of the T cell leukemia virus type 1 promoter. It may increase expression of viral proteins by acting as the DNA binding partner of a viral transactivator. It has been found that upon accumulation of unfolded proteins in the endoplasmic reticulum (ER), the mRNA of this gene is processed to an active form by an unconventional splicing mechanism that is mediated by the endonuclease inositol-requiring enzyme 1 (IRE1). The resulting loss of 26 nt from the spliced mRNA causes a frame-shift and an isoform XBP1(S), which is the functionally active transcription factor. The isoform encoded by the unspliced mRNA, XBP1(U), is constitutively expressed, and thought to function as a negative feedback regulator of XBP1(S), which shuts off transcription of target genes during the recovery phase of ER stress. A pseudogene of XBP1 has been

identified and localized to chromosome 5.

Recommended Dilution: WB,1:500 - 1:2000 IHC-P,1:50 - 1:200

Synonyms: XBP2; TREB5; XBP-1; TREB-5; XBP1s

Purifcation Method: Affinity purification

Immunogen: A synthetic peptide corresponding to a sequence within amino acids 277-376 of human XBP1s

(NP 001073007.1).

Storage: Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.