SAP30 Rabbit Polyclonal Antibody

CAB17032



roduct Information	Protein Background
Size:	Histone acetylation plays a key role in the regulation of eukaryotic gene expression. Histone
20uL, 50uL, 100uL, 200uL	acetylation and deacetylation are catalyzed by multisubunit complexes. The protein encodec by this gene is a component of the histone deacetylase complex, which includes SIN3, SAP18
Observed MW:	HDAC1, HDAC2, RbAp46, RbAp48, and other polypeptides. This complex is active in deacetylating core histone octamers, but inactive in deacetylating nucleosomal histones.
Refer to figures	pseudogene of this gene is located on chromosome 3.
Calculated MW:	Immunogen information
	Gene ID:
Applications:	8819
NB	Uniprot
Reactivity:	O75446
Human, Mouse, Rat	SAP30
Antibody Information	
Recommended dilutions:	Immunogen:
WB 1:500 - 1:2000	A synthetic peptide corresponding to a sequence within amino acids 100 to the C-terminus of human SAP30 (NP_003855.1).
Source: Rabbit	
	Storage:
	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
lsotype: lgG	sodium azide, 50% glycerol, pH7.3.

Purification: Affinity purification