## **OAS2 Rabbit Polyclonal Antibody**



## **CAB17428**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

72kDa

**Calculated MW:** 

19kDa/78kDa/82kDa

**Applications:** 

WB

Reactivity:

Human

**Antibody Information** 

Recommended dilutions:

WB 1:500 - 1:2000

Source:

Rabbit

Isotype:

IgG

**Purification:** 

Affinity purification

**Protein Background** 

This gene encodes a member of the 2-5A synthetase family, essential proteins involved in the innate immune response to viral infection. The encoded protein is induced by interferons and uses adenosine triphosphate in 2'-specific nucleotidyl transfer reactions to synthesize 2', 5'-oligoadenylates (2-5As). These molecules activate latent RNase L, which results in viral RNA degradation and the inhibition of viral replication. The three known members of this gene family are located in a cluster on chromosome 12. Alternatively spliced transcript variants encoding different isoforms have been described.

Immunogen information

Gene ID:

4939

Uniprot

P29728

**Synonyms:** 

OAS2

Immunogen:


Recombinant protein of human OAS2.

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

## **Product Images**



Western blot analysis of extracts of Raji cells, using OAS2 antibody (CAB17428) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.