Acetyl-Histone H3-K9/K14/K18/K23/K27 Rabbit Polyclonal Antibody

CAB17917

Product Information

Size:

20uL, 50uL, 100uL, 200uL

Observed MW:

17kDa

Calculated MW:

15kDa

Applications:

WB IHC IF IP ChIP

Reactivity:

Human, Mouse, Rat, Other (Wide Range)

Antibody Information

Recommended dilutions:
WB 1:500 - 1:2000 IHC 1:50 - 1:200 IF 1:50 - 1:200 ChIP 1:20 - 1:100

Source:
Rabbit

Isotype:
IgG

Purification:
Affinity purification

Protein Background

Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. Nucleosomes consist of approximately 146 bp of DNA wrapped around a histone octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is located separately from the other H3 genes that are in the histone gene cluster on chromosome 6p22-p21.3.

Immunogen information

Gene ID:
8350

Uniprot
P68431

Synonyms:
H3/A; H3C2; H3C3; H3C4; H3C6; H3C7; H3C8; H3FA; H3C10; H3C11; H3C12; HIST1H3A

Immunogen:
A synthetic peptide of human Acetyl-Histone H3-K9/K14/K18/K23/K27.

Storage:
Store at -20℃. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.

 info@assaygenie.com www.assaygenie.com

Product Images



Western blot - Acetyl-Histone H3-K9/K14/K18/K23/K27 Rabbit pAb (CAB17917)