
[KO Validated] AK4 Rabbit Polyclonal Antibody

CAB19855



Product Information	Protein Background
Size:	This gene encodes a member of the adenylate kinase family of enzymes. The encoded protein
20uL, 50uL, 100uL, 200uL	is localized to the mitochondrial matrix. Adenylate kinases regulate the adenine and guanine nucleotide compositions within a cell by catalyzing the reversible transfer of phosphate group
Observed MW:	among these nucleotides. Five isozymes of adenylate kinase have been identified in vertebrates. Expression of these isozymes is tissue-specific and developmentally regulated. A pseudogene
25KDa	for this gene has been located on chromosome 17. Three transcript variants encoding the same
Calculated MW:	protein have been identified for this gene. Sequence alignment suggests that the gene defined by NM_013410, NM_203464, and NM_001005353 is located on chromosome 1.
25kDa	Immunogen information
Applications:	Gene ID:
WB IHC IF IP	205
Reactivity:	Uniprot
Human, Mouse, Rat	P27144
Antibody Information	Synonyms: AK4; AK 4; AK3; AK3L1; AK3L2
, including internation	
Recommended dilutions: WB 1:500 - 1:2000 IHC 1:50	
- 1:200 IF 1:50 - 1:200 IP	Immunogen:
1:50 - 1:100	Recombinant protein of human AK4.
Source:	
Rabbit	
	Storage:
	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
lsotype:	sodium azide, 50% glycerol, pH7.3.
IgG	

Purification: Affinity purification



Western blot analysis of extracts from normal (control) and AK4 knockout (KO) HeLa cells, using AK4 antibody (CAB19855) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 1s.