[KO Validated] ITGB4 Rabbit Polyclonal Antibody



CAB19890

Product Information

Size:

20uL, 50uL, 100uL, 200uL

Observed MW:

230KDa

Calculated MW:

106kDa/194kDa/195kDa/200 kDa/202kDa

Applications:

WB IHC

Reactivity:

Human, Mouse, Rat

Protein Background

Integrins are heterodimers comprised of alpha and beta subunits, that are noncovalently associated transmembrane glycoprotein receptors. Different combinations of alpha and beta polypeptides form complexes that vary in their ligand-binding specificities. Integrins mediate cell-matrix or cell-cell adhesion, and transduced signals that regulate gene expression and cell growth. This gene encodes the integrin beta 4 subunit, a receptor for the laminins. This subunit tends to associate with alpha 6 subunit and is likely to play a pivotal role in the biology of invasive carcinoma. Mutations in this gene are associated with epidermolysis bullosa with pyloric atresia. Multiple alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.

Immunogen information

Gene ID:

3691

Uniprot

P16144

Synonyms:

Antibody Information ITGB4; CD104; GP150

Recommended dilutions:

WB 1:500 - 1:2000 IHC 1:50

- 1:100

Source:

Rabbit

Immunogen:

Recombinant protein of human ITGB4.

Storage:


Isotype: Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

lgG sodium azide, 50% glycerol, pH7.3.

Purification:

Affinity purification

Product Images



Western blot analysis of extracts from normal (control) and ITGB4 knockout (KO) HeLa cells, using ITGB4 antibody (CAB19890) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 5s.