
[KO Validated] NDUFV2 Rabbit Polyclonal Antibody

CAB19936



roduct Information	Protein Background
Size:	The NADH-ubiquinone oxidoreductase complex (complex I) of the mitochondrial respiratory
20uL, 50uL, 100uL, 200uL	chain catalyzes the transfer of electrons from NADH to ubiquinone, and consists of at least 43 subunits. The complex is located in the inner mitochondrial membrane. This gene encodes the
Observed MW:	24 kDa subunit of complex I, and is involved in electron transfer. Mutations in this gene are implicated in Parkinson's disease, bipolar disorder, schizophrenia, and have been found in one
24KDa	case of early onset hypertrophic cardiomyopathy and encephalopathy. A non-transcribed pseudogene of this locus is found on chromosome 19.
Calculated MW:	
27kDa	Immunogen information
Applications:	Gene ID:
WB IHC	4729
	Uniprot
Reactivity:	P19404
Human, Mouse, Rat	
	Synonyms: NDUFV2; CI-24k
Antibody Information	
Recommended dilutions:	
WB 1:500 - 1:2000 IHC 1:50	Immunogen:
- 1:200	Recombinant protein of human NDUFV2.
Source:	
Rabbit	Storage:
	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
lsotype:	sodium azide, 50% glycerol, pH7.3.
lgG	

Purification: Affinity purification



Western blot analysis of extracts from normal (control) and NDUFV2 knockout (KO) HeLa cells, using NDUFV2 antibody (CAB19936) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 1s.