
DNMT3A Rabbit Polyclonal Antibody

CAB2065



Product Information	Protein Background
Size:	CpG methylation is an epigenetic modification that is important for embryonic development
20uL, 50uL, 100uL, 200uL	imprinting, and X-chromosome inactivation. Studies in mice have demonstrated that DNA methylation is required for mammalian development. This gene encodes a DNA
Observed MW:	methyltransferase that is thought to function in de novo methylation, rather than maintenance methylation. The protein localizes to the cytoplasm and nucleus and its expression is
110kDa	developmentally regulated.
Calculated MW:	Immunogen information
16kDa/81kDa/101kDa	Gene ID:
Applications:	1788
WB IF IP	Uniprot
Reactivity:	Q9Y6K1
Human, Mouse, Rat	Synonyms: DNMT3A; DNMT3A2; M.HsallIA; TBRS; DNMT3A
Antibody Information	
Recommended dilutions: WB 1:500 - 1:2000 IF 1:20 - 1:100 IP 1:50 - 1:200	Immunogen: Recombinant fusion protein containing a sequence corresponding to amino acids 500-700 of human DNMT3A (NP_715640.2).
Source: Rabbit	
	Storage:
	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.
lsotype: IgG	30010111 azide, 3070 giyceioi, pi 17.3.

Purification: Affinity purification



Western blot analysis of extracts of various cell lines, using DNMT3A antibody (CAB2065) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST.

Immunofluorescence analysis of U2OS cells using DNMT3A antibody (CAB2065).

Immunoprecipitation analysis of 200ug extracts of 293T cells using 3ug DNMT3A antibody (CAB2065). Western blot was performed from the immunoprecipitate using DNMT3A antibody (CAB2065) at a dilition of 1:1000.