FGFR1 Rabbit Polyclonal Antibody



The protein encoded by this gene is a member of the fibroblast growth factor receptor (FGFR)

family, where amino acid sequence is highly conserved between members and throughout

evolution. FGFR family members differ from one another in their ligand affinities and tissue distribution. A full-length representative protein consists of an extracellular region, composed

of three immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately

influencing mitogenesis and differentiation. This particular family member binds both acidic and basic fibroblast growth factors and is involved in limb induction. Mutations in this gene

have been associated with Pfeiffer syndrome, Jackson-Weiss syndrome, Antley-Bixler

syndrome, osteoglophonic dysplasia, and autosomal dominant Kallmann syndrome 2. Chromosomal aberrations involving this gene are associated with stem cell myeloproliferative

disorder and stem cell leukemia lymphoma syndrome. Alternatively spliced variants which encode different protein isoforms have been described; however, not all variants have been

CAB2073

Product Information

Size:

20uL, 50uL, 100uL, 200uL

Observed MW:

Calculated MW:

6kDa/16kDa/33kDa/55-95kDa

Applications:

IHC

Reactivity:

Mouse

teactivity

Immunogen information

Protein Background

Gene ID:

Uniprot P11362

fully characterized.

2260

Antibody Information

Recommended dilutions:

IHC 1:50 - 1:200

Synonyms:

Source:
Rabbit

Synonyms:
FGFR1; BFGFR; CD331; CEK; ECCL; FGFBR; FGFR-1; FLG; FLT-2; FLT2;

HBGFR; HH2; HRTFDS; KAL2; N-SAM; OGD; bFGF-R-1

Isotype:

lgG Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 22-290 of human FGFR1 (NP_075598.2).


Purification:

Affinity purification

Storage: Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

Product Images



Immunohistochemistry of paraffin-embedded mouse liver using FGFR1 antibody (CAB2073) at dilution of 1:100 (40x lens).