42kDa



## CAB2133

## **Product Information**

| Product SKU:           | CAB2133 | Gene ID:      | 7474       |              | Size:       | 20uL, 100uL       |  |
|------------------------|---------|---------------|------------|--------------|-------------|-------------------|--|
| Clone No:              | -       | Host Species: | Rabbit     |              | Reactivity: | Human, Mouse, Rat |  |
|                        |         |               |            |              |             |                   |  |
| Additional Information |         |               |            |              |             |                   |  |
| Observed MW:           | 42kDa   |               | Conjugate: | Unconjugated | k           |                   |  |

Isotype:

lgG

## **Immunogen Information**

Calculated MW:

| Background            | The WNT gene family consists of structurally related genes which encode secreted signaling proteins.    |  |  |  |  |
|-----------------------|---------------------------------------------------------------------------------------------------------|--|--|--|--|
|                       | These proteins have been implicated in oncogenesis and in several developmental processes, including    |  |  |  |  |
|                       | regulation of cell fate and patterning during embryogenesis. This gene encodes a member of the WNT      |  |  |  |  |
|                       | family that signals through both the canonical and non-canonical WNT pathways. This protein is a ligand |  |  |  |  |
|                       | for the seven transmembrane receptor frizzled-5 and the tyrosine kinase orphan receptor 2. This protein |  |  |  |  |
|                       | plays an essential role in regulating developmental pathways during embryogenesis. This protein may     |  |  |  |  |
|                       | also play a role in oncogenesis. Mutations in this gene are the cause of autosomal dominant Robinow     |  |  |  |  |
|                       | syndrome. Alternate splicing results in multiple transcript variants.                                   |  |  |  |  |
| Recommended Dilution: | WB,1:500 - 1:1000                                                                                       |  |  |  |  |
| Synonyms:             | hWNT5A; WNT5A                                                                                           |  |  |  |  |
| Purifcation Method:   | Affinity purification                                                                                   |  |  |  |  |
| Immunogen:            | Recombinant fusion protein containing a sequence corresponding to amino acids 65-305 of human           |  |  |  |  |
|                       | WNT5A (NP_003383.2).                                                                                    |  |  |  |  |
| Storage:              | Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.      |  |  |  |  |