CAB2145



Product Information

Product SKU:	CAB2145	Gene ID:	11200		Size:	20uL, 100uL		
Clone No:	-	Host Species:	Rabbit		Reactivity :	Human, Mouse, Rat		
Additional Information								
Observed MW:	65kDa		Conjugate:	Unconjugate	d			

Isotype:

lgG

Immunogen Information

61kDa

Calculated MW:

Background	In response to DNA damage and replication blocks, cell cycle progression is halted through the control
	of critical cell cycle regulators. The protein encoded by this gene is a cell cycle checkpoint regulator and
	putative tumor suppressor. It contains a forkhead-associated protein interaction domain essential for
	activation in response to DNA damage and is rapidly phosphorylated in response to replication blocks
	and DNA damage. When activated, the encoded protein is known to inhibit CDC25C phosphatase,
	preventing entry into mitosis, and has been shown to stabilize the tumor suppressor protein p53, leading
	to cell cycle arrest in G1. In addition, this protein interacts with and phosphorylates BRCA1, allowing
	BRCA1 to restore survival after DNA damage. Mutations in this gene have been linked with Li-Fraumeni
	syndrome, a highly penetrant familial cancer phenotype usually associated with inherited mutations in
	TP53. Also, mutations in this gene are thought to confer a predisposition to sarcomas, breast cancer,
	and brain tumors. This nuclear protein is a member of the CDS1 subfamily of serine/threonine protein
	kinases. Several transcript variants encoding different isoforms have been found for this gene.
Recommended Dilution:	WB,1:100 - 1:500 IF/ICC,1:50 - 1:200
Synonyms:	CDS1; CHK2; LFS2; RAD53; hCds1; HuCds1; PP1425; Chk2
Purifcation Method:	Affinity purification
Immunogen:	Recombinant fusion protein containing a sequence corresponding to amino acids 1-220 of human Chk2
	(NP_009125.1).
Storage:	Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.02% sodium azide,50% glycerol,pH7.3.