

CAB22743

Product Information

Product SKU:	CAB22743	Gene ID:	4928	Size:	20uL, 100uL
Clone No:	ARC58955	Host Species:	Rabbit	Reactivity:	Human,Monkey

Additional Information

Observed MW:	98kDa	Conjugate:	Unconjugated
Calculated MW:	198kDa	Isotype:	IgG

Immunogen Information

Background: Nuclear pore complexes (NPCs) regulate the transport of macromolecules between the nucleus and cytoplasm, and are composed of many polypeptide subunits, many of which belong to the nucleoporin family. This gene belongs to the nucleoporin gene family and encodes a 186 kDa precursor protein that undergoes autoproteolytic cleavage to generate a 98 kDa nucleoporin and 96 kDa nucleoporin. The 98 kDa nucleoporin contains a Gly-Leu-Phe-Gly (GLGF) repeat domain and participates in many cellular processes, including nuclear import, nuclear export, mitotic progression, and regulation of gene expression. The 96 kDa nucleoporin is a scaffold component of the NPC. Proteolytic cleavage is important for targeting of the proteins to the NPC. Translocations between this gene and many other partner genes have been observed in different leukemias. Rearrangements typically result in chimeras with the N-terminal GLGF domain of this gene to the C-terminus of the partner gene. Alternative splicing results in multiple transcript variants encoding different isoforms, at least two of which are proteolytically processed. Some variants lack the region that encodes the 96 kDa nucleoporin.

Recommended Dilution: WB,1:2000 - 1:7000

Synonyms: ADIR2; NUP96; NUP196; Nup98-96; NUP98

Purification Method: Affinity purification

Immunogen: Recombinant protein of human NUP98.

Storage: Store at -20°C. Avoid freeze / thaw cycles.Buffer: PBS with 0.05% proclin300,0.05% BSA,50% glycerol,pH7.3.