## **iNOS Rabbit Polyclonal Antibody**



## **CAB3200**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

131kDa

Calculated MW:

126kDa/131kDa

**Applications:** 

WB

Reactivity:

Human, Mouse

**Protein Background** 

Nitric oxide is a reactive free radical which acts as a biologic mediator in several processes, including neurotransmission and antimicrobial and antitumoral activities. This gene encodes a nitric oxide synthase which is expressed in liver and is inducible by a combination of lipopolysaccharide and certain cytokines. Three related pseudogenes are located within the Smith-Magenis syndrome region on chromosome 17.

Immunogen information

**Gene ID:** 4843

Uniprot P35228

Synonyms:

NOS; INOS; NOS2A; HEP-NOS; iNOS; NOS2

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:1000

Immunogen:

Recombinant protein of human iNOS

Source: Storage:

Rabbit Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.


Isotype:

IgG

Purification:

Affinity purification

## **Product Images**



Western blot analysis of extracts of RAW264.7 cells, using iNOS antibody (CAB3200) at 1:1000 dilution.Raw264.7 cells were treated by LPS (1 ug/mL) at 37'C for 8 hours. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 1s.