CXCR2 Rabbit Polyclonal Antibody



CAB3301

Product Information

Size:

20uL, 50uL, 100uL, 200uL

Observed MW:

41kDa

Calculated MW:

40kDa

Applications:

WB IHC IF

Reactivity:

Human, Mouse, Rat

Antibody Information

Recommended dilutions: WB 1:500 - 1:2000 IHC 1:50

- 1:200 IF 1:50 - 1:200

Source:

Rabbit

Isotype:

IgG

Purification: Affinity purification **Protein Background**

The protein encoded by this gene is a member of the G-protein-coupled receptor family. This protein is a receptor for interleukin 8 (IL8). It binds to IL8 with high affinity, and transduces the signal through a G-protein activated second messenger system. This receptor also binds to chemokine (C-X-C motif) ligand 1 (CXCL1/MGSA), a protein with melanoma growth stimulating activity, and has been shown to be a major component required for serum-dependent melanoma cell growth. This receptor mediates neutrophil migration to sites of inflammation. The angiogenic effects of IL8 in intestinal microvascular endothelial cells are found to be mediated by this receptor. Knockout studies in mice suggested that this receptor controls the positioning of oligodendrocyte precursors in developing spinal cord by arresting their migration. This gene, IL8RA, a gene encoding another high affinity IL8 receptor, as well as IL8RBP, a pseudogene of IL8RB, form a gene cluster in a region mapped to chromosome 2q33q36. Alternatively spliced variants, encoding the same protein, have been identified.

Immunogen information

Gene ID:

3579

Uniprot P25025

Synonyms:

CXCR2; CD182; CDw128b; CMKAR2; IL8R2; IL8RA; IL8RB

Immunogen:


Recombinant protein of human CXCR2.

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

Product Images



Western blot - CXCR2 Rabbit pAb (CAB3301)