## **AMFR Rabbit Polyclonal Antibody**



## **CAB3731**

**Product Information** 

Size:

20uL, 50uL, 100uL, 200uL

**Observed MW:** 

72kDa

72kDa

Calculated MW:

Applications:

WB

Reactivity:

Human

**Protein Background** 

This locus encodes a glycosylated transmembrane receptor. Its ligand, autocrine motility factor, is a tumor motility-stimulating protein secreted by tumor cells. The encoded receptor is also a member of the E3 ubiquitin ligase family of proteins. It catalyzes ubiquitination and endoplasmic reticulum-associated degradation of specific proteins.

Immunogen information

**Gene ID:** 267

**Uniprot** Q9UKV5

Synonyms:

AMFR; GP78; RNF45

**Antibody Information** 

**Recommended dilutions:** 

WB 1:500 - 1:2000

VVB 1.300 1.2000

Source:

Rabbit

Isotype:

IgG

Purification:

Affinity purification

Immunogen:


Recombinant fusion protein containing a sequence corresponding to amino acids 384-643 of human AMFR (NP\_001135.3).

Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%

sodium azide, 50% glycerol, pH7.3.

## **Product Images**



Western blot analysis of extracts of various cell lines, using AMFR antibody (CAB3731) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.