
DHPS Rabbit Polyclonal Antibody

CAB6367



Product Information	Protein Background
Size:	This gene encodes a protein that is required for the formation of hypusine, a unique amino
20uL, 50uL, 100uL, 200uL	acid formed by the posttranslational modification of only one protein, eukaryotic translation initiation factor 5A. The encoded protein catalyzes the first step in hypusine formation by
Observed MW:	transferring the butylamine moiety of spermidine to a specific lysine residue of the eukaryotic translation initiation factor 5A precursor, forming an intermediate deoxyhypusine residue
41kDa	Alternatively spliced transcript variants encoding multiple isoforms have been observed for this gene.
Calculated MW:	
35kDa/36kDa/40kDa	Immunogen information
Applications:	Gene ID: 1725
WB	
	Uniprot
Reactivity:	P49366
Human, Mouse, Rat	
	Synonyms: DHPS; DHS; DS; MIG13
Antibody Information	
Recommended dilutions:	
WB 1:500 - 1:2000	Immunogen:
	Recombinant fusion protein containing a sequence corresponding
Source: Rabbit	to amino acids 1-369 of human DHPS (NP_001921.1).
	Storage:
lsotype:	Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%
IgG	sodium azide, 50% glycerol, pH7.3.

Purification: Affinity purification



Western blot analysis of extracts of various cell lines, using DHPS antibody (CAB6367) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Enhanced Kit (CABM00021). Exposure time: 5s.