

# DTYMK Rabbit Polyclonal Antibody



CAB6370

## Product Information

### Size:

20uL, 50uL, 100uL, 200uL

### Observed MW:

24kDa

### Calculated MW:

21kDa/23kDa

### Applications:

WB IF

### Reactivity:

Human, Mouse, Rat

## Antibody Information

### Recommended dilutions:

WB 1:500 - 1:2000 IF 1:50 - 1:200

### Source:

Rabbit

### Isotype:

IgG

### Purification:

Affinity purification

## Protein Background

### Immunogen information

#### Gene ID:

1841

#### Uniprot

P23919

#### Synonyms:

DTYMK; CDC8; PP3731; TMPK; TYMK


#### Immunogen:

Recombinant fusion protein containing a sequence corresponding to amino acids 1-212 of human DTYMK (NP\_036277.2).


#### Storage:

Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02% sodium azide, 50% glycerol, pH7.3.


## Product Images



Western blot analysis of extracts of various cell lines, using DTYMK antibody (CAB6370) at 1:1000 dilution. Secondary antibody: HRP Goat Anti-Rabbit IgG (H+L) (CABS014) at 1:10000 dilution. Lysates/proteins: 25ug per lane. Blocking buffer: 3% nonfat dry milk in TBST. Detection: ECL Basic Kit (CABM00020). Exposure time: 30s.



Immunofluorescence analysis of L929 cells using DTYMK Rabbit pAb (CAB6370) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.



Immunofluorescence analysis of U-2 OS cells using DTYMK Rabbit pAb (CAB6370) at dilution of 1:100 (40x lens). Blue: DAPI for nuclear staining.