PSMD5 Rabbit Polyclonal Antibody



CAB6954

Product Information

Size:

20uL, 50uL, 100uL, 200uL

Observed MW:

56kDa

Calculated MW:

51kDa/56kDa

Applications:

Reactivity:

WB IHC

Human, Mouse, Rat

Protein Background

The 26S proteasome is a multicatalytic proteinase complex with a highly ordered structure composed of 2 complexes, a 20S core and a 19S regulator. The 20S core is composed of 4 rings of 28 non-identical subunits; 2 rings are composed of 7 alpha subunits and 2 rings are composed of 7 beta subunits. The 19S regulator is composed of a base, which contains 6 ATPase subunits and 2 non-ATPase subunits, and a lid, which contains up to 10 non-ATPase subunits. Proteasomes are distributed throughout eukaryotic cells at a high concentration and cleave peptides in an ATP/ubiquitin-dependent process in a non-lysosomal pathway. This gene encodes a non-ATPase subunit of the 19S regulator base that functions as a chaperone protein during 26S proteasome assembly.

Immunogen information

Gene ID:

Uniprot Q16401

Synonyms:

PSMD5; S5B

Antibody Information

Recommended dilutions: WB 1:500 - 1:2000 IHC 1:50

- 1:200

Source:

Rabbit

Isotype:

IgG

Immunogen:

Recombinant fusion protein containing a sequence corresponding

to amino acids 255-504 of human PSMD5 (NP_005038.1).

Storage:


Store at -20°C. Avoid freeze / thaw cycles. Buffer: PBS with 0.02%


sodium azide, 50% glycerol, pH7.3.


Purification:

Affinity purification

Product Images







Immunohistochemistry of paraffin-embedded rat kidney using PSMD5 antibody (CAB6954) at dilution of 1:100 (40x lens).